



Subject: CE Marked Regulator Marking Changes Notification

Dear Valued Customer,

This notification is intended for Essex customers who export products into the European Community.

Essex-manufactured medical regulators comply with the Medical Device Directive (MDD) 93/42/EEC and its Essential Requirements listed in Annex I. In May of 2017, the European Community published their new regulations per MDR 2017/745/EU. The regulations are scheduled to go into effect on May 26, 2020; however, there are provisions in the regulations that allow devices to continue to be covered by the requirements of the MDD 93/42/EEC until their certificates of conformance expire. For Essex Industries, this will occur in 2023.

Because the new regulations have a significant number of changes and additions, Essex has already been working on updating our devices and procedures. As part of this process, Essex has created a gap analysis between MDD 93/42/EEC Essential Requirements and MDR 2017/745/EU General Safety and Performance Requirements (GS&PR). There is one item that directly affects the labeling of each regulator. Annex I, clause 23.2(q) states the device label needs to indicate that the device is a medical device. In order to achieve this, an “MD” symbol is being placed on the device itself.

This notification letter is to inform our customers of changes being made over the next few months to top-level drawings and documents for the rationale detailed above.

If there are any questions relating to this issue please contact your account representative for further information.

Sincerely,

Kelley Posey
Manager of Sustaining Engineering
Aircraft Components, First Response, Safety & Medical

List of CE Marked Regulators being updated per MDR Requirements

4/2020

Device Name	Device Description	Part Number
CGA 540 Regulator	345 kPa (50 psig), 0-2 L/min, Green AX, Barbed Outlet, Gauge	1531872700-1
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, Barbed Outlet, Gauge	1531872700-2
CGA 540 Regulator	345 kPa (50 psig), 0-6 L/min, Green AX, Barbed Outlet, Gauge	1531872700-3
CGA 540 Regulator	345 kPa (50 psig), 0-8 L/min, Green AX, Barbed Outlet, Gauge	1531872700-4
CGA 540 Regulator	345 kPa (50 psig), 0-15 L/min, Green AX, Barbed Outlet, Gauge	1531872700-5
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, Barbed Outlet, Gauge	1531872700-8
CGA 540 Regulator	345 kPa (50 psig), 0-2 L/min, Green AX, DISS Outlet, Tree Adapter, Gauge	1531872800-1
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, DISS Outlet, Tree Adapter, Gauge	1531872800-2
CGA 540 Regulator	345 kPa (50 psig), 0-6 L/min, Green AX, DISS Outlet, Tree Adapter, Gauge	1531872800-3
CGA 540 Regulator	345 kPa (50 psig), 0-8 L/min, Green AX, DISS Outlet, Tree Adapter, Gauge	1531872800-4
CGA 540 Regulator	345 kPa (50 psig), 0-15 L/min, Green AX, DISS Outlet, Tree Adapter, Gauge	1531872800-5
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, DISS Outlet, Tree Adapter, Gauge	1531872800-8
CGA 540 Mini-Regulator	138 kPa (20 psig), 0-6 L/min, Green AX, Barbed Outlet, No Gauge	1531871600-1
CGA 540 Mini-Regulator	138 kPa (20 psig), 0-8 L/min, Green AX, Barbed Outlet, No Gauge	1531871600-2
CGA 540 Mini-Regulator	345 kPa (50 psig), 0-6 L/min, Green AX, Barbed Outlet, No Gauge	1531871600-4
CGA 540 Mini-Regulator	345 kPa (50 psig), 0-8 L/min, Green AX, Barbed Outlet, No Gauge	1531871600-5
CGA 540 Mini-Regulator	345 kPa (50 psig), 0-15 L/min, Green AX, Barbed Outlet, No Gauge	1531871600-6
CGA 540 Mini-Regulator	138 kPa (20 psig), 0-4 L/min, Green AX, Barbed Outlet, No Gauge	1531871600-7
CGA 540 Mini-Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, Barbed Outlet, No Gauge	1531871600-8
CGA 540 Mini-Regulator	345 kPa (50 psig), 0-2 L/min, Green AX, Barbed Outlet, No Gauge	1531871600-10
CGA 540 Regulator	345 kPa (50 psig), 0-2 L/min, Green AX, Barbed Outlet, Gauge	2102-02
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, Barbed Outlet, Gauge	2102-04
CGA 540 Regulator	345 kPa (50 psig), 0-6 L/min, Green AX, Barbed Outlet, Gauge	2102-06
CGA 540 Regulator	345 kPa (50 psig), 0-8 L/min, Green AX, Barbed Outlet, Gauge	2102-08
CGA 540 Regulator	345 kPa (50 psig), 0-15 L/min, Green AX, Barbed Outlet, Gauge	2102-15
CGA 540 Regulator	345 kPa (50 psig), 0-25 L/min, Green AX, Barbed Outlet, Gauge	2102-25

Device Name	Device Description	Part Number
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, Barbed Outlet, Gauge	2102-64
CGA 540 Regulator	345 kPa (50 psig), 0-2 L/min, Green AX, DISS 1240 Outlet, Gauge	2104-02
CGA 540 Regulator	345 kPa (50 psig), 0-15 L/min, Green AX, DISS 1240 Outlet with Xmas Tree, Gauge	2105-15
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, DISS 1240 Outlet with Xmas Tree, Gauge	2105-64
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, Barbed Outlet, Gauge	2106-04
CGA 540 Regulator	345 kPa (50 psig), 0-6 L/min, Green AX, Barbed Outlet, Gauge	2106-06
CGA 540 Regulator	345 kPa (50 psig), 0-8 L/min, Green AX, Barbed Outlet, Gauge	2106-08
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, Barbed Outlet, Gauge	2106-64
CGA 540 Regulator	345 kPa (50 psig), 0-2 L/min, Green AX, DISS 1240 Outlet, Gauge	2107-02
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, DISS 1240 Outlet, Gauge	2107-04
CGA 540 Regulator	345 kPa (50 psig), 0-6 L/min, Green AX, DISS 1240 Outlet, Gauge	2107-06
CGA 540 Regulator	345 kPa (50 psig), 0-8 L/min, Green AX, DISS 1240 Outlet, Gauge	2107-08
CGA 540 Regulator	345 kPa (50 psig), 0-15 L/min, Green AX, DISS 1240 Outlet, Gauge	2107-15
CGA 540 Regulator	345 kPa (50 psig), 0-25 L/min, Green AX, DISS 1240 Outlet, Gauge	2107-25
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, DISS 1240 Outlet, Gauge	2107-1
CGA 540 Regulator	345 kPa (50 psig), 0-2 L/min, Green AX, DISS 1240 Outlet, Gauge	2108-02
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, DISS 1240 Outlet, Gauge	2108-04
CGA 540 Regulator	345 kPa (50 psig), 0-6 L/min, Green AX, DISS 1240 Outlet, Gauge	2108-06
CGA 540 Regulator	345 kPa (50 psig), 0-8 L/min, Green AX, DISS 1240 Outlet, Gauge	2108-08
CGA 540 Regulator	345 kPa (50 psig), 0-15 L/min, Green AX, DISS 1240 Outlet, Gauge	2108-15
CGA 540 Regulator	345 kPa (50 psig), 0-25 L/min, Green AX, DISS 1240 Outlet, Gauge	2108-25
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, DISS 1240 Outlet, Gauge	2108-64
CGA 540 Regulator	345 kPa (50 psig), 0-2 L/min, Green AX, DISS 1240 Outlet with Xmas Tree, Gauge	2111-02
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, DISS 1240 Outlet with Xmas Tree, Gauge	2111-04
CGA 540 Regulator	345 kPa (50 psig), 0-6 L/min, Green AX, DISS 1240 Outlet with Xmas Tree, Gauge	2111-06
CGA 540 Regulator	345 kPa (50 psig), 0-8 L/min, Green AX, DISS 1240 Outlet with Xmas Tree, Gauge	2111-08
CGA 540 Regulator	345 kPa (50 psig), 0-15 L/min, Green AX, DISS 1240 Outlet with Xmas Tree, Gauge	2111-15
CGA 540 Regulator	345 kPa (50 psig), 0-25 L/min, Green AX, DISS 1240 Outlet with Xmas Tree, Gauge	2111-25

Device Name	Device Description	Part Number
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, DISS 1240 Outlet with Xmas Tree, Gauge	2111-1
CGA 540 Regulator	345 kPa (50 psig), 0-15 L/min, Green AX, DISS 1240 Outlet with Xmas Tree, Gauge	2118-15
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Nickel Plated Brass, DISS 1240 Outlet, Gauge	2120-04
CGA 540 Regulator	345 kPa (50 psig), 0-15 L/min, Nickel Plated Brass, DISS 1240 Outlet, Gauge	2120-15
CGA 540 Regulator	345 kPa (50 psig), 0-2 L/min, Blue, DISS 1240 Outlet, Gauge	5419110100-B02
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Blue, DISS 1240 Outlet, Gauge	5419110100-B04
CGA 540 Regulator	345 kPa (50 psig), 0-8 L/min, Blue, DISS 1240 Outlet, Gauge	5419110100-B08
CGA 540 Regulator	345 kPa (50 psig), 0-15 L/min, Blue, DISS 1240 Outlet, Gauge	5419110100-B15
CGA 540 Regulator	345 kPa (50 psig), 0-25 L/min, Blue, DISS 1240 Outlet, Gauge	5419110100-B25
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Blue, DISS 1240 Outlet, Gauge	5419110100-B64
CGA 540 Regulator	345 kPa (50 psig), 0-2 L/min, Blue, Barbed Outlet, Gauge	5419110200-B02
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Blue, Barbed Outlet, Gauge	5419110200-B04
CGA 540 Regulator	345 kPa (50 psig), 0-8 L/min, Blue, Barbed Outlet, Gauge	5419110200-B08
CGA 540 Regulator	345 kPa (50 psig), 0-15 L/min, Blue, Barbed Outlet, Gauge	5419110200-B15
CGA 540 Regulator	345 kPa (50 psig), 0-25 L/min, Blue, Barbed Outlet, Gauge	5419110200-B25
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Blue, Barbed Outlet, Gauge	5419110200-B64
CGA 540 Regulator	345 kPa (50 psig), 0-2 L/min, Blue, Long, DISS 1240 Outlet, Gauge	5429110100-B02
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Blue, Long, DISS 1240 Outlet, Gauge	5429110100-B04
CGA 540 Regulator	345 kPa (50 psig), 0-8 L/min, Blue, Long, DISS 1240 Outlet, Gauge	5429110100-B08
CGA 540 Regulator	345 kPa (50 psig), 0-25 L/min, Blue, Long, DISS 1240 Outlet, Gauge	5429110100-B25
CGA 540 Regulator	345 kPa (50 psig), 0-15 L/min, Blue, Long, DISS 1240 Outlet, Gauge	5429110100-B15
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Blue, Long, DISS 1240 Outlet, Gauge	5429110100-B64
CGA 540 Regulator	345 kPa (50 psig), 0-2 L/min, Blue, Long, Barbed Outlet, Gauge	5429110200-B02
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Blue, Long, Barbed Outlet, Gauge	5429110200-B04
CGA 540 Regulator	345 kPa (50 psig), 0-8 L/min, Blue, Long, Barbed Outlet, Gauge	5429110200-B08
CGA 540 Regulator	345 kPa (50 psig), 0-15 L/min, Blue, Long, Barbed Outlet, Gauge	5429110200-B15
CGA 540 Regulator	345 kPa (50 psig), 0-25 L/min, Blue, Long, Barbed Outlet, Gauge	5429110200-B25
CGA 540 Regulator	345 kPa (50 psig), 0-4 L/min, Blue, Long, Barbed Outlet, Gauge	5429110200-B64

Device Name	Device Description	Part Number
CGA 870 Regulator	345 kPa (50 psig), 0-2 L/min, Green AX, Barbed Outlet, Gauge	1531872200-1
CGA 870 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, Barbed Outlet, Gauge	1531872200-2
CGA 870 Regulator	345 kPa (50 psig), 0-6 L/min, Green AX, Barbed Outlet, Gauge	1531872200-3
CGA 870 Regulator	345 kPa (50 psig), 0-8 L/min, Green AX, Barbed Outlet, Gauge	1531872200-4
CGA 870 Regulator	345 kPa (50 psig), 0-15 L/min, Green AX, Barbed Outlet, Gauge	1531872200-5
CGA 870 Regulator	345 kPa (50 psig), 0-25 L/min, Green AX, Barbed Outlet, Gauge	1531872200-6
CGA 870 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, Barbed Outlet, Gauge	1531872200-8
CGA 870 Regulator	345 kPa (50 psig), 0-2 L/min, Green AX, Barbed Outlet, Gauge	1531872400-1
CGA 870 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, Barbed Outlet, Gauge	1531872400-2
CGA 870 Regulator	345 kPa (50 psig), 0-6 L/min, Green AX, Barbed Outlet, Gauge	1531872400-3
CGA 870 Regulator	345 kPa (50 psig), 0-8 L/min, Green AX, Barbed Outlet, Gauge	1531872400-4
CGA 870 Regulator	345 kPa (50 psig), 0-15 L/min, Green AX, Barbed Outlet, Gauge	1531872400-5
CGA 870 Regulator	345 kPa (50 psig), 0-25 L/min, Green AX, DISS Outlet, Barbed Outlet, Gauge	1531872400-6
CGA 870 Regulator	345 kPa (50 psig), 0-2 L/min, Green AX, DISS Outlet, Tree Adapter, Gauge	1531872500-1
CGA 870 Regulator	345 kPa (50 psig), 0-2 L/min, Green AX, DISS Outlet, Tree Adapter, Gauge	1531872500-2
CGA 870 Regulator	345 kPa (50 psig), 0-2 L/min, Green AX, DISS Outlet, Tree Adapter, Gauge	1531872500-3
CGA 870 Regulator	345 kPa (50 psig), 0-2 L/min, Green AX, DISS Outlet, Tree Adapter, Gauge	1531872500-4
CGA 870 Regulator	345 kPa (50 psig), 0-2 L/min, Green AX, DISS Outlet, Tree Adapter, Gauge	1531872500-5
CGA 870 Regulator	345 kPa (50 psig), 0-2 L/min, Green AX, DISS Outlet, Tree Adapter, Gauge	1531872500-8
CGA 870 Regulator	345 kPa (50 psig), 0-2 L/min, NI PL., Barbed Outlet, Gauge	1531872600-1
CGA 870 Regulator	345 kPa (50 psig), 0-4 L/min, NI PL., Barbed Outlet, Gauge	1531872600-2
CGA 870 Regulator	345 kPa (50 psig), 0-6 L/min, NI PL., Barbed Outlet, Gauge	1531872600-3
CGA 870 Regulator	345 kPa (50 psig), 0-8 L/min, NI PL., Barbed Outlet, Gauge	1531872600-4
CGA 870 Regulator	345 kPa (50 psig), 0-15 L/min, NI PL., Barbed Outlet, Gauge	1531872600-5
CGA 870 Regulator	345 kPa (50 psig), 0-25 L/min, NI PL., Barbed Outlet, Gauge	1539113800-1
CGA 870 Regulator	345 kPa (50 psig), 0-25 L/min, NI PL., One DISS Outlet, Barbed Outlet, Gauge	1539113800-2
CGA 870 Regulator	345 kPa (50 psig), 0-25 L/min, NI PL., Two DISS Outlets, Barbed Outlet, Gauge	1539113800-3
CGA 870 Regulator	345 kPa (50 psig), 0-15 L/min, NI PL., Barbed Outlet, Gauge	1539113800-4

Device Name	Device Description	Part Number
CGA 870 Regulator	345 kPa (50 psig), 0-15 L/min, NI PL., One DISS Outlet, Barbed Outlet, Gauge	1539113800-5
CGA 870 Regulator	345 kPa (50 psig), 0-15 L/min, NI PL., Two DISS Outlets, Barbed Outlet, Gauge	1539113800-6
CGA 870 Regulator	345 kPa (50 psig), 0-15 L/min, Black, Barbed Outlet, Gauge	1539116400-1
CGA 870 Regulator	345 kPa (50 psig), 0-2 L/min, Green AX, Barbed Outlet, Gauge	2001-02
CGA 870 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, Barbed Outlet, Gauge	2001-04
CGA 870 Regulator	345 kPa (50 psig), 0-6 L/min, Green AX, Barbed Outlet, Gauge	2001-06
CGA 870 Regulator	345 kPa (50 psig), 0-8 L/min, Green AX, Barbed Outlet, Gauge	2001-08
CGA 870 Regulator	345 kPa (50 psig), 0-15 L/min, Green AX, Barbed Outlet, Gauge	2001-15
CGA 870 Regulator	345 kPa (50 psig), 0-25 L/min, Green AX, Barbed Outlet, Gauge	2001-25
CGA 870 Regulator	138 kPa (20 psig), 0-4 L/min, Green AX, Barbed Outlet, Gauge	2001-64
CGA 870 Regulator	138 kPa (20 psig), 0-4 L/min, Green AX, DISS 1240 with Xmas Tree, Gauge	2002-64
CGA 870 Regulator	345 kPa (50 psig), 0-2 L/min, Green AX, DISS 1240 Outlet, Gauge	2004-02
CGA 870 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, DISS 1240 Outlet, Gauge	2004-04
CGA 870 Regulator	345 kPa (50 psig), 0-6 L/min, Green AX, DISS 1240 Outlet, Gauge	2004-06
CGA 870 Regulator	345 kPa (50 psig), 0-8 L/min, Green AX, DISS 1240 Outlet, Gauge	2004-08
CGA 870 Regulator	345 kPa (50 psig), 0-15 L/min, Green AX, DISS 1240 Outlet, Gauge	2004-15
CGA 870 Regulator	345 kPa (50 psig), 0-25 L/min, Green AX, DISS 1240 Outlet, Gauge	2004-25
CGA 870 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, DISS 1240 Outlet, Gauge	2004-1
CGA 870 Regulator (MRI Conditional)	345 kPa (50 psig), 0-25 L/min, Green AX, MRI, Barbed Outlet, Gauge	2018-25
CGA 870 Regulator	345 kPa (50 psig), 0-2 L/min, Green AX Long Body, DISS 1240 Outlet, Gauge	2020-02
CGA 870 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX Long Body, DISS 1240 Outlet, Gauge	2020-04
CGA 870 Regulator	345 kPa (50 psig), 0-6 L/min, Green AX Long Body, DISS 1240 Outlet, Gauge	2020-06
CGA 870 Regulator	345 kPa (50 psig), 0-8 L/min, Green AX Long Body, DISS 1240 Outlet, Gauge	2020-08
CGA 870 Regulator	345 kPa (50 psig), 0-15 L/min, Green AX Long Body, DISS 1240 Outlet, Gauge	2020-15
CGA 870 Regulator	345 kPa (50 psig), 0-25 L/min, Green AX Long Body, DISS 1240 Outlet, Gauge	2020-25
CGA 870 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX Long Body, DISS 1240 Outlet, Gauge	2020-64
CGA 870 Regulator	345 kPa (50 psig), 0-2 L/min, Green AX, Barbed Outlet, Gauge	2023-02
CGA 870 Regulator	345 kPa (50 psig), 0-4 L/min, Green AX, Barbed Outlet, Gauge	2023-04

Device Name	Device Description	Part Number
CGA 870 Regulator	345 kPa (50 psig), 0-6 L/min, Green AX, Barbed Outlet, Gauge	2023-06
CGA 870 Regulator	345 kPa (50 psig), 0-8 L/min, Green AX, Barbed Outlet, Gauge	2023-08
CGA 870 Regulator	345 kPa (50 psig), 0-15 L/min, Green AX, Barbed Outlet, Gauge	2023-15
CGA 870 Regulator	345 kPa (50 psig), 0-25 L/min, Green AX, Barbed Outlet, Gauge	2023-25
CGA 870 Regulator	345 kPa (50 psig), 1/64-4 L/min, Green AX, Barbed Outlet, Gauge	2023-64
CGA 870 Regulator	345 kPa (50 psig), 0-4 L/min, Ni PI Brass, DISS Outlet w/ X-Mas Tree Adapter, Gauge	2024-04
HOMEFILL	345 kPa (50 psig), 0-6 l/min, Nickel-Plated Brass, Barbed Outlet, Gauge	2531-1
HOMEFILL	345 kPa (50 psig), 0-6 l/min, Nickel-Plated Brass, Barbed Outlet, Gauge	2536-1
HOMEFILL	345 kPa (50 psig), 0-6 l/min, Nickel-Plated Brass, Barbed Outlet, Gauge	2536-1A
HOMEFILL	345 kPa (50 psig), 0-6 l/min, Nickel-Plated Brass, Barbed Outlet, Gauge	2536-2
HOMEFILL	345 kPa (50 psig), 0-6 l/min, Nickel-Plated Brass, Barbed Outlet, Gauge	2548-1
IFILL	138 kPa (20 psig), 13 l/min, Nickel-Plated Brass, Elbow Outlet, Gauge	2522-2
IFILL	345 kPa (50 psig), 0-10 l/min, Nickel-Plated Brass, Barbed Outlet, Gauge	2515-11
IFILL	345 kPa (50 psig), 0-10 l/min, Nickel-Plated Brass, Barbed Outlet, Gauge	2515-12
ULTRAFILL	345 kPa (50 psig), 0-6 l/min, Nickel-Plated Brass, Barbed Outlet, Gauge	2540-1
ULTRAFILL	345 kPa (50 psig), 0-6 l/min, Nickel-Plated Brass, Barbed Outlet, Gauge	2542-1
CGA 280 Regulator	325 kPa (50 psig), 0-20 lpm, Brown, Barbed Outlet, Gauge, 70:30 Heliox	2212-20
CGA 280 Regulator	325 kPa (50 psig), 0-20 lpm, Brown, Barbed Outlet, Gauge, 80:20 Heliox	2213-20
CGA 280 Regulator	325 kPa (50 psig), 0-20 lpm, Brown, Barbed Outlet, Gauge, 70:30 Heliox, DISS 1280	2216-20
CGA 280 Regulator	325 kPa (50 psig), 0-20 lpm, Brown, Barbed Outlet, Gauge, 80:20 Heliox, DISS 1280	2217-20
CGA 890 Regulator	325 kPa (50 psig), 0-20 lpm, Brown, Barbed Outlet, Gauge, 70:30 Heliox	2210-20
CGA 890 Regulator	325 kPa (50 psig), 0-20 lpm, Brown, Barbed Outlet, Gauge, 80:20 Heliox	2211-20
CGA 890 Regulator	325 kPa (50 psig), 0-20 lpm, Brown, Barbed Outlet, Gauge, 70:30 Heliox, DISS 1280	2214-20
CGA 890 Regulator	325 kPa (50 psig), 0-20 lpm, Brown, Barbed Outlet, Gauge, 80:20 Heliox, DISS 1280	2215-20
DIN 477 No. 6 Regulator	345 kPa (50 psig), 0-2 lpm, Green, DISS 1240, Gauge	2221-02
DIN 477 No. 6 Regulator	345 kPa (50 psig), 0-4 lpm, Green, DISS 1240, Gauge	2221-04
DIN 477 No. 6 Regulator	345 kPa (50 psig), 0-6 lpm, Green, DISS 1240, Gauge	2221-06
DIN 477 No. 6 Regulator	345 kPa (50 psig), 0-8 lpm, Green, DISS 1240, Gauge	2221-08

Device Name	Device Description	Part Number
DIN 477 No. 6 Regulator	345 kPa (50 psig), 0-15 lpm, Green, DISS 1240, Gauge	2221-15
DIN 477 No. 6 Regulator	345 kPa (50 psig), 0-25 lpm, Green, DISS 1240, Gauge	2221-25
DIN 477 No. 6 Regulator	345 kPa (50 psig), 0-4 lpm, Green, DISS 1240, Gauge	2221-1
DIN 477 No. 6 Regulator	345 kPa (50 psig), 0-64 lpm, Green, DISS 1240, Gauge	2221-64
DIN 477 No. 9 Regulator	345 kPa (50 psig), 0-2 lpm, Ni Plated Brass, DISS 1240, Gauge	2222-02
DIN 477 No. 9 Regulator	345 kPa (50 psig), 0-8 lpm, Ni Plated Brass, DISS 1240, Gauge	2222-08
DIN 477 No. 9 Regulator	345 kPa (50 psig), 0-15 lpm, Ni Plated Brass, DISS 1240, Gauge	2222-15
DIN 477 No. 9 Regulator	345 kPa (50 psig), 0-15 lpm, Green, DISS 1240, Gauge, ready for DIN 477	2232-15
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-2 L/min, Blue, DISS 1240 Outlet, Gauge	3419110100-B02
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-4 L/min, Blue, DISS 1240 Outlet, Gauge	3419110100-B04
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-8 L/min, Blue, DISS 1240 Outlet, Gauge	3419110100-B08
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-15 L/min, Blue, DISS 1240 Outlet, Gauge	3419110100-B15
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-25 L/min, Blue, DISS 1240 Outlet, Gauge	3419110100-B25
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-4 L/min, Blue, DISS 1240 Outlet, Gauge	3419110100-B64
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-2 L/min, Blue, Barbed Outlet Fitting, Gauge	3419110200-B02
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-4 L/min, Blue, Barbed Outlet Fitting, Gauge	3419110200-B04
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-8 L/min, Blue, Barbed Outlet Fitting, Gauge	3419110200-B08
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-15 L/min, Blue, Barbed Outlet Fitting, Gauge	3419110200-B15
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-25 L/min, Blue, Barbed Outlet Fitting, Gauge	3419110200-B25
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-4 L/min, Blue, Barbed Outlet Fitting, Gauge	3419110200-B64
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-2 L/min, Blue, Long, DISS 1240 Outlet, Gauge	3429110100-B02
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-4 L/min, Blue, Long, DISS 1240 Outlet, Gauge	3429110100-B04
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-8 L/min, Blue, Long, DISS 1240 Outlet, Gauge	3429110100-B08
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-15 L/min, Blue, Long, DISS 1240 Outlet, Gauge	3429110100-B15
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-25 L/min, Blue, Long, DISS 1240 Outlet, Gauge	3429110100-B25
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-4 L/min, Blue, Long, DISS 1240 Outlet, Gauge	3429110100-B64
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-2 L/min, Blue, Long, Barbed Outlet Fitting, Gauge	3429110200-B02
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-4 L/min, Blue, Long, Barbed Outlet Fitting, Gauge	3429110200-B04

Device Name	Device Description	Part Number
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-8 L/min, Blue, Long, Barbed Outlet Fitting, Gauge	3429110200-B08
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-15 L/min, Blue, Long, Barbed Outlet Fitting, Gauge	3429110200-B15
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-25 L/min, Blue, Long, Barbed Outlet Fitting, Gauge	3429110200-B25
BS 341 No. 3 Regulator	345 kPa (50 psig), 0-4 L/min, Blue, Long, Barbed Outlet Fitting, Gauge	3429110200-B64